


Recombinant PPAR γ -LBD Protein

Catalog Number	Size
AG1065-10	10ug
AG1065-25	25ug
AG1065-B	Bulk

Description



The ligand-binding domain of the human peroxisome proliferator activated receptor gamma (PPAR γ -LBD) was expressed in the E coli system and purified by the combination of Ni-affinity column and other conventional chromatographic methods. The resulted protein contains 295 amino acids with a 6His tag at the N-terminus. It migrates in SDS-PAGE with an apparent molecular mass of 33kDa.

```
MGSSHHHHHHSSGLVPRGSHMLNPESADLRALAKHLYDSYIKSFPLTKAK
ARAILTGKTTDKSPFVIYDMNSLMMGEDKIKFKHITPLQEQSKEVAIRIF
QGCQFRSVEAVQEITEYAKSIPGFVNLDLNDQVTLLKYGVHEIIYTMLAS
LMNKDGVLISEGQGFMTREFLKSRLKPFMGDFMEPKFEFAVKFNALELDDS
DLAIFIAVILSGDRPGLLNKPIEDIQDNLLQALELQLKLNHPRESSQLF
AKLLQKMTDLRQIVTEHVQLLQVIKKTETDMSLHPLLQEIYKDLY-
```

Accession Number

NM_138712

Molecular Mass

Approximately 33kDa.

Purity

≥90%, as determined by SDS-PAGE.

Biological Activity

PPAR γ is a regulator of adipocyte differentiation and has been implicated in the pathology of numerous diseases including obesity, diabetes and cancer. The recombinant PPAR γ -LBD protein can be used for the studies of transcription assays, protein-protein/protein-ligand interactions and other related function assays.

Formulation

20mM Tris-Cl (pH7.9), 20% glycerol 100mM NaCl, 1mM DTT and 1mM EDTA.

Storage

The protein sample can be stored under sterile conditions at 2-8°C for one month or at -20°C to -70°C for three months without detectable loss of activity. (**Avoid repeated freeze-thaw cycle**)

FOR RESEARCH USE ONLY!!!